
GENERAL NOTES:

- The following models illustrate some typical configurations of the ATLAS system operated by hand line (rope). The models also show some views which indicate the overall dimensions of the batten mounted system.
- Some elements (joints and fixing part for example) may have been omitted from the drawing for sake of clarity
- Other installations/operating options are possible as an alternative to the models shown
- Customized solutions can be developed to suit particular needs.

For more information, please contact our technical department.



© PERONI S.P.A. COPYRIGHT
THIS DRAWING REMAINS THE PROPERTY OF PERONI S.P.A
AND MAY NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART
WITHOUT PRIOR WRITTEN APPROVAL FROM THIS COMPANY.

PERONI


PERONI S.P.A.
VIA MONTE LEONE, 93
21013 GALLARATE (VA) - ITALIA
www.peroni.com


STRAIGHT SINGLE TRACK, OVERLAP WITH ARMS BOTTOM CORD SETUP, MANUAL OPERATION


ATLAS

01

03







THIS DRAWING REMAINS THE PROPERTY OF PERONI S.P.A AND MAY NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN APPROVAL FROM THIS COMPANY


PERONI www.peroni.com


VIA MONTE LEONE, 93 21013 GALLARATE (VA) - ITALIA STRAIGHT DOUBLE TRACK, OFFSET OVERLAP TOP CORD SETUP, MANUAL OPERATION

ATLAS

04

03





THIS DRAWING REMAINS THE PROPERTY OF PERONI S.P.A AND MAY NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN APPROVAL FROM THIS COMPANY

PERONI www.peroni.com

VIA MONTE LEONE, 93 21013 GALLARATE (VA) - ITALIA CURVED DOUBLE TRACK, OFFSET OVERLAP MANUAL CORDED OPERATION

ATLAS

06

03